

## CLAIMS

1. (Currently Amended) One or more processor-accessible tangible storage media comprising processor-executable instructions stored thereon that, when executed, direct a device to perform a method comprising:

providing a programming interface for developing programs, the programming interface having:

multiple groups of types and including:

\_\_a first group of types related to core file system concepts;

\_\_a second group of types related to entities that a human being can contact;

\_\_a third group of types related to documents;

\_\_a fourth group of types common to multiple kinds of media;

\_\_a fifth group of types specific to audio media;

\_\_a sixth group of types specific to video media;

\_\_a seventh group of types specific to image media;

\_\_an eighth group of types specific to electronic mail messages; and

\_\_a ninth group of types related to identifying particular locations, wherein the programming interface provides callable multiple functions, wherein each one of the multiple groups of types provides a corresponding set of related ones of the multiple functions, one of the types being configured to communicate in first a form compatible with a first interface and one of the other types being configured to communicate in a second form compatible with a second interface, the first and second forms being incompatible; and

a component configured to convert communications in the first form compatible with the first interface to the second form compatible with the second interface which is incompatible with the first form.

2. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to moving data between file systems.

3. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to creating and managing rules for generating notifications.

4. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types describing types defined in all the other groups of types.

5. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to base types that form a foundation to support all the other groups of types.

6. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types

common to multiple kinds of messages, including the electronic mail messages; and an eleventh group of types specific to facsimile messages.

7. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to annotations; and an eleventh group of types related to notes;

8. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to installed programs; and an eleventh group of types related to installed games.

9. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to actions taken by a user; and an eleventh group of types related to maintaining and accessing help information.

10. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to a natural language search engine.

11. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of

types related to tasks in a user interface to let a user know what actions the user can perform when navigating the user interface.

12. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to user tasks.

13. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to services that can be accessed.

14. (Previously Presented) A tangible storage media as recited in claim 13, wherein the services can be accessed over a network.

15. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to identifying access rights.

16. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to calendar types.

17. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to creating and managing event monitoring and resultant actions.

18. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types used for interop for each of the first through ninth groups of types.

19. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: an additional group of types for each of the first through ninth groups of bytes, wherein each of the additional groups of types are for interop.

20. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to files stored in a file system.

21. (Previously Presented) A tangible storage media as recited in claim 1, wherein the programming interface further comprises: a tenth group of types related to a category hierarchy.

22. (Currently Amended) A system comprising:

means for exposing via a programming interface for developing programs a first set of functions that represent core concepts of a file system of the system;

means for exposing via the programming interface a second set of functions that enable maintaining information regarding entities that can be contacted; [[and]]

means for exposing via the programming interface a third set of functions that allow document types to be accessed; and

means for converting communications in a first form compatible with a first interface to a second form compatible with a second interface, the first and second forms being incompatible, some of the functions communicating in the first form and some of the other functions communicating in the second form, wherein at least a portion of the means are implemented in hardware.

23. (Previously Presented) A system as recited in claim 22, further comprising means for exposing via the programming interface a fourth set of functions related to base types for a plurality of kinds of media; means for exposing via the programming interface a fifth set of functions related specifically to audio media; and means for exposing via the programming interface a sixth set of functions related specifically to video media.

24. (Previously Presented) A system as recited in claim 23, further comprising: means for exposing via the programming interface a seventh set of functions related specifically to image media.

25. (Previously Presented) A system as recited in claim 22, further comprising means for exposing via the programming interface a fourth set of functions related specifically to electronic mail messages.

26. (Previously Presented) A system as recited in claim 22, further comprising means for exposing via the programming interface a fourth set of functions that enable maintaining physical location information.

27. (Currently Amended) A method of organizing a set of types for a file system in a program development computer system into a hierarchical namespace, the file system being one of multiple groups of types included in a programming interface for developing programs, the method comprising:

creating a plurality of groups from the set of types using the program development computer system, each group containing at least one type that exposes logically related functionality of the programming interface;

assigning a name to each group in the plurality using the program development computer system, wherein one of the groups in the plurality includes functionality related to core concepts of the file system, wherein another of the groups in the plurality includes functionality related to entities that a human being can contact, wherein another of the groups in the plurality includes functionality related to document types that can be stored in the file system, and wherein another of the groups in the plurality includes functionality related to multiple kinds of media; [[and]]

selecting a top level identifier and prefixing the name of each group with the top level identifier using the program development computer system so that the types in each group are referenced by a hierarchical name that includes the selected top level identifier prefixed to the name of the group containing the type wherein a first type or a first function communicates in a first form compatible with a first interface and a second type or a second function communicates in a second form compatible with a second interface, wherein the first form and the second forms are incompatible; and

converting a communication associated with the first type or the first function from the first form to the second form whereby a plurality of diverse applications which use incompatible interfaces can be developed using the programming interface.

28. (Original) A method as recited in claim 27, wherein another of the groups in the plurality includes functionality particularly for audio media, wherein another of the groups in the plurality includes functionality particularly for video media, and wherein another of the groups in the plurality includes functionality particularly for image media.

29. (Original) A method as recited in claim 27, wherein another of the groups in the plurality includes functionality related to electronic mail.



30. (Original) A method as recited in claim 27, wherein another of the groups in the plurality includes functionality related to maintaining physical location information.

31. (Original) A method as recited in claim 27, wherein the assigning comprises: assigning a name of Core to the group that includes functionality related to core concepts of the file system so that the hierarchical name for the group that includes functionality related to core concepts of the file system is System.Storage.Core; assigning a name of Contacts to the group that includes functionality related to entities that a human being can contact so that the hierarchical name for the group that includes functionality related to entities that a human being can contact is System.Storage.Contacts; assigning a name of Documents to the group that includes functionality related to document types that can be stored in the file system so that the hierarchical name for the group that includes functionality related to document types that can be stored in the file system is System.Storage.Documents; and assigning a name of Media to the group that includes functionality related to multiple kinds of media so that the hierarchical name for the group that includes functionality related to multiple kinds of media is System.Storage.Media.

32. (Original) A method as recited in claim 27, wherein the assigning comprises: assigning a name of Core to the group that includes functionality related to core concepts of the file system so that the hierarchical name for the group that includes functionality related to core concepts of the file

system is System.Storage.Core; assigning a name of Contact to the group that includes functionality related to entities that a human being can contact so that the hierarchical name for the group that includes functionality related to entities that a human being can contact is System.Storage.Contact; assigning a name of Document to the group that includes functionality related to document types that can be stored in the file system so that the hierarchical name for the group that includes functionality related to document types that can be stored in the file system is System.Storage.Document; and assigning a name of Media to the group that includes functionality related to multiple kinds of media so that the hierarchical name for the group that includes functionality related to multiple kinds of media is System.Storage.Media.

33. (Currently Amended) A method for organizing a file system in a program development computer system, the method comprising:

creating a first namespace with functions that enable identification of particular physical locations using the program development computer system; and

creating a second namespace with functions that enable identification of entities that can be contacted by a human being using the program development computer system, wherein the first namespace and the second namespace are included in the file system, the file system being included in a programming interface, one of the functions communicating in a first form and another function communicating in a second form which is incompatible with the first form; and

converting a communication associated with one of the functions and in the first form to the second form.

34. (Previously Presented) A method as recited in claim 33, further comprising: creating a third namespace using the program development computer system with functions that enable documents to be described.

35. (Previously Presented) A method as recited in claim 33, further comprising: creating a third namespace using the program development computer system with functions specific to electronic mail messages.

36. (Previously Presented) A method as recited in claim 33, further comprising: creating a third namespace using the program development computer system with functions common to multiple kinds of media; creating a fourth namespace using the program development computer system with functions specific to audio media; creating a fifth namespace using the program development computer system with functions specific to video media; and creating a sixth namespace using the program development computer system with functions specific to image media.

37. (Previously Presented) A method as recited in claim 33, further comprising: creating a third namespace using the program development computer system with functions that are expected to be used by all other namespaces.

38. (Currently Amended) One or more tangible computer readable media having stored thereon a plurality of instructions that, when executed by a processor, cause the processor to:

create a first namespace with functions that enable identification of particular physical locations; and

create a second namespace with functions that are expected to be used by the first namespace and a plurality of additional namespaces, wherein the first namespace, the second namespace, and the plurality of additional namespaces are defined to organize a file system, the file system being included in a programming interface for developing programs, one of the functions communicating in a first form and another function communicating in a second form which is incompatible with the first form; and

convert a communication associated with one of the functions and in the first form to the second form.

39. (Previously Presented) One or more tangible computer readable media as recited in claim 38, wherein the instructions further cause the processor to: create a third namespace with functions that enable documents to be described; create a fourth namespace with functions that enable identification of entities that can be contacted by a human being; and create a fifth namespace with functions common to multiple kinds of media.

40. (Previously Presented) One or more tangible computer readable media as recited in claim 39, wherein the instructions further cause the processor to: create a sixth namespace with functions specific to audio media; create a seventh namespace with functions specific to video media; and create an eighth namespace with functions specific to image media.

41. (Previously Presented) One or more tangible computer readable media as recited in claim 38, wherein the instructions further cause the processor to: create a third namespace with functions common to multiple kinds of media; create a fourth namespace with functions specific to audio media; create a fifth namespace with functions specific to video media; and create a sixth namespace with functions specific to image media.

42. (Currently Amended) A method comprising:  
calling one or more first functions using a program development computer system that enable documents to be described; [[and]]

calling one or more second functions using the program development computer system that are core functions expected to be used by the one or more first functions as well as a plurality of additional functions, wherein the one or more first functions, the one or more second functions, and the plurality of additional functions are defined to organize a file system in the program development computer system, the file system being included in a programming interface, one of the functions communicating in a first form and another

function communicating in a second form which is incompatible with the first form; and

converting a communication associated with one of the functions and in the first form to the second form.

43. (Previously Presented) A method as recited in claim 42, further comprising: calling one or more third functions common to multiple kinds of media using the program development computer system.

44. (Previously Presented) A method as recited in claim 43, further comprising: calling one or more fourth functions specific to audio media using the program development computer system; calling one or more fifth functions specific to video media using the program development computer system; and calling one or more sixth functions specific to image media using the program development computer system.

45. (Previously Presented) A method as recited in claim 42, further comprising: calling one or more third functions using the program development computer system that enable identification of entities that can be contacted by a human being; and calling one or more fourth functions using the program development computer system that enable identification of particular physical locations.

46. (Previously Presented) A method as recited in claim 42, further comprising: calling one or more third functions specific to electronic mail messages using the program development computer system.

47. (Currently Amended) A method, comprising:  
receiving one or more calls to one or more first functions using a program development computer system that enable identification of entities that can be contacted by a human being; and

receiving one or more calls to one or more second functions that are core functions expected to be used by the one or more first functions as well as a plurality of additional functions using the program development computer system, wherein the one or more first functions, the one or more second functions, and the plurality of additional functions are defined to organize a file system in the program development computer system, the file system being included in a programming interface, one of the functions communicating in a first form and another function communicating in a second form which is incompatible with the first form; and

converting a communication associated with one of the functions and in the first form to the second form.

48. (Previously Presented) A method as recited in claim 47, further comprising: receiving one or more calls using the program development computer system to one or more third functions that enable documents to be described; receiving one or more calls using the program development computer

system to one or more fourth functions common to multiple kinds of media; and receiving one or more calls using the program development computer system to one or more fifth functions that enable identification of particular physical locations.

49. (Previously Presented) A method as recited in claim 48, further comprising: receiving one or more calls using the program development computer system to one or more sixth functions specific to audio media; receiving one or more calls using the program development computer system to one or more seventh functions specific to video media; receiving one or more calls using the program development computer system to one or more eighth functions specific to image media and receiving one or more calls using the program development computer system to one or more ninth functions specific to electronic mail messages.

50. (Currently Amended) One or more tangible computer readable media having stored thereon a plurality of instructions that, when executed by a processor, cause the processor to:

receive one or more calls to one or more first functions that enable identification of entities that can be contacted by a human being; and

receive one or more calls to one or more second functions common to multiple kinds of media, wherein the one or more first functions and the one or more second functions are defined to organize a file system, the file system being included in a programming interface for programming programs, one of



the functions communicating in a first form and another function communicating in a second form which is incompatible with the first form; and  
convert a communication associated with one of the functions and in the first form to the second form.

51. (Previously Presented) One or more tangible computer readable media as recited in claim 50, wherein the instructions further cause the processor to: receive one or more calls to one or more third functions that are core functions expected to be used by the one or more first functions, the one or more second functions, and a plurality of additional functions.

52. (Previously Presented) One or more tangible computer readable media as recited in claim 50, wherein the instructions further cause the processor to: receive one or more calls to one or more third functions that enable identification of particular physical locations; receive one or more calls to one or more fourth functions that enable documents to be described; and receive one or more calls to one or more fifth functions specific to electronic mail messages.

53. (Previously Presented) One or more tangible computer readable media as recited in claim 50, wherein the instructions further cause the processor to: receive one or more calls to one or more third functions specific to audio media; receive one or more calls to one or more fourth functions specific

to video media; and receive one or more calls to one or more fifth functions specific to image media.